

FortiGate® 80E Series

FortiGate 80E, 80E-PoE, 81E and 81E-PoE



The Fortinet Enterprise Firewall Solution delivers end-to-end network security with one platform, one network security operating system and unified policy management with a single pane of glass — for **the industry's best protection against the most advanced security threats and targeted attacks**.



Security Fabric Integration

FortiGate appliances, interconnected with the Fortinet Security Fabric, form the backbone of the Fortinet Enterprise Solution.



4 Gbps Firewall **1.3 Million**Concurrent



260 Mb



360 Mbps

250 Mbps
Threat Protection



Multiple GE RJ45



Deployment Modes

Distributed Enterprise Firewall



Hardware Acceleration

SPU SoC3







Third-Party Certifications













HARDWARE


FortiGate 80E/81E








FortiGate 80E/81E-PoE







Interfaces

- 1. Console Port
- 2. USB Port
- 3. 12x GE RJ45 Ports
- 4. 2x GE RJ45 DMZ/HA Ports
- 5. 2x GE RJ45/SFP Shared Media Pairs

Interfaces

- 1. Console Port
- 2. USB Port
- 3. 12x GE RJ45 PoE/+ Ports
- 4. 2x GE RJ45 DMZ/HA Ports
- 5. 2x GE RJ45/SFP Shared Media Pairs

Powered by SPU SoC3





- Simplifies appliance design and enables breakthrough performance for smaller networks
- Supports firewall acceleration across all packet sizes for maximum throughput
- Delivers accelerated UTM content processing for superior performance and protection
- Accelerates VPN performance for high speed, secure remote access

3G/4G WAN Connectivity

The FortiGate 80E Series includes a USB port that allows you to plug in a compatible third-party 3G/4G USB modem, providing additional WAN connectivity or a redundant link for maximum reliability.

Compact and Reliable Form Factor


Designed for small environments, you can place it on a desktop or wall-mount it. It is small, lightweight yet highly reliable with superior MTBF (Mean Time Between Failure), minimizing the chance of a network disruption.

2 www.fortinet.com

SOFTWARE

FortiOS

Control all the security and networking capabilities across the entire FortiGate platform with one intuitive operating system. Reduce operating expenses and save time with a truly consolidated next generation security platform.



- A truly consolidated platform with one OS for all security and networking services for all FortiGate platforms.
- Industry-leading protection: NSS Labs Recommended, VB100,
 AV Comparatives and ICSA validated security and performance.
- Control thousands of applications, block the latest exploits, and filter web traffic based on millions of real-time URL ratings.
- Detect, contain and block advanced attacks automatically in minutes with integrated advanced threat protection framework.
- Solve your networking needs with extensive routing, switching, WiFi, LAN and WAN capabilities.
- Activate all the SPU-boosted capabilities you need on the fastest firewall platform available.



For more information, please refer to the FortiOS data sheet available at www.fortinet.com

SERVICES

FortiGuard[™] Security Services

FortiGuard Labs offers real-time intelligence on the threat landscape, delivering comprehensive security updates across the full range of Fortinet's solutions. Comprised of security threat researchers, engineers, and forensic specialists, the team collaborates with the world's leading threat monitoring organizations, other network and security vendors, as well as law enforcement agencies:

- Real-time Updates 24x7x365 Global Operations research security intelligence, distributed via Fortinet Distributed Network to all Fortinet platforms.
- Security Research FortiGuard Labs have discovered over 170 unique zero-day vulnerabilities to date, totaling millions of automated signature updates monthly.
- Validated Security Intelligence Based on FortiGuard intelligence, Fortinet's network security platform is tested and validated by the world's leading third-party testing labs and customers globally.

FortiCare[™] Support Services

Our FortiCare customer support team provides global technical support for all Fortinet products. With support staff in the Americas, Europe, Middle East and Asia, FortiCare offers services to meet the needs of enterprises of all sizes:

- Enhanced Support For customers who need support during local business hours only.
- Comprehensive Support For customers who need aroundthe-clock mission critical support, including advanced exchange hardware replacement.
- Advanced Services For global or regional customers who need an assigned Technical Account Manager, enhanced service level agreements, extended software support, priority escalation, on-site visits and more.
- Professional Services For customers with more complex security implementations that require architecture and design services, implementation and deployment services, operational services and more.



Enterprise Bundle

FortiGuard Labs delivers a number of security intelligence services to augment the FortiGate firewall platform. You can easily optimize the protection capabilities of your FortiGate with the FortiGuard Enterprise Bundle. This bundle contains the full set of FortiGuard security services plus FortiCare service and support offering the most flexibility and broadest range of protection all in one package.

SPECIFICATIONS

	FORTIGATE 80E	FORTIGATE 80E-POE	FORTIGATE 81E	FORTIGATE 81E-F			
ardware Specifications							
E RJ45/SFP Shared Media Pairs	2	2	2	2			
E RJ45 Ports	12	—	12				
E RJ45 PoE/+ Ports		12	·····	12			
E RJ45 DMZ/HA Ports	2	2	2	2			
SB Ports	1	1	1	1			
ionsole (RJ45)		1					
nternal Storage	<u> </u>	<u> </u>	128 GB	128 GB			
system Performance							
irewall Throughput (1518 / 512 / 64 byte UDP packets)		4/4/	4 Ghns				
irewall Latency (64 byte UDP packets)	4 / 4 / 4 Gbps						
irewall Throughput (Packets Per Second)	3 µs						
oncurrent Sessions (TCP)	6 Mpps						
	1.3 Million						
ew Sessions/Second (TCP)	30,000						
irewall Policies	5,000						
Psec VPN Throughput (512 byte packets)	2.5 Gbps						
ateway-to-Gateway IPsec VPN Tunnels			00				
lient-to-Gateway IPsec VPN Tunnels	1,000						
SL-VPN Throughput			Mbps				
oncurrent SSL-VPN Users (Recommended Maximum)			00				
'S Throughput (HTTP / Enterprise Mix) ¹			450 Mbps				
SL Inspection Throughput ²	350 Mbps						
pplication Control Throughput ³	800 Mbps						
GFW Throughput ⁴	360 Mbps						
hreat Protection Throughput ⁵	250 Mbps						
APWAP Throughput ⁶	2.2 Gbps						
irtual Domains (Default / Maximum)	10 / 10						
laximum Number of FortiAPs (Total / Tunnel Mode)	32 / 16						
laximum Number of FortiTokens	100						
laximum Number of Registered FortiClients	200						
igh Availability Configurations	Active / Active, Active / Passive, Clustering						
imensions							
eight x Width x Length (inches)		1.65 x	8.5 x 7				
eight x Width x Length (mm)	42 x 216 x 178						
/eight	2.65 lbs (1.2 kg)						
orm Factor	Desktop						
nvironment		500					
ower Required	100-240V AC.	100-240V AC,	100-240V AC,	100-240V AC			
omor rioquiroù	50–60 Hz	50–60 Hz		50-60 Hz			
Maximum Current	100V AC / 0.65A,	115V AC / 1.2A,	100V AC / 0.7A,	115V AC / 1.2A			
	240V AC / 0.29A	230V AC / 0.6A	240V AC / 0.3A	230V AC / 0.6			
otal Available PoE Power Budget*	N/A	110 W	N/AWould	110 W			
ower Consumption (Average / Maximum)	20 W / 70 W	20 / 137 W	20 W / 72 W	20 / 137 W			
eat Dissipation	238.85 BTU/h	467.5 BTU/h	245.67 BTH/h	467.5 BTU/h			
perating temperature	32-104°F (0-40°C) -31-158°F (-35-70°C)						
		-31–158°F	(-35-/U ⁻ U)	20–90% non-condensing			
torage Temperature							
perating Temperature torage Temperature lumidity perating Altitude		20–90% no	n-condensing				
torage Temperature umidity perating Altitude		20–90% no					
torage Temperature lumidity Iperating Altitude Iompliance		20–90% no Up to 16,404	n-condensing ft (5,000 m)	Al .			
torage Temperature umidity perating Altitude	F	20–90% no	n-condensing ft (5,000 m)	Л			

Note: All performance values are "up to" and vary depending on system configuration. IPsec VPN performance is based on 512 byte UDP packets using AES-256+SHA1. 1. IPS performance using 1 Mbyte HTTP and Enterprise Traffic Mix. 2. SSL Inspection is measured with IPS enabled and HTTP traffic, using TLS v1.2 with AES256-SHA. 3. Application Control performance is measured with 64 Kbytes HTTP traffic. 4. NGFW performance is measured with IPS and Application Control enabled, based on Enterprise Traffic Mix. 5. Threat Protection performance is measured with IPS and Application Control and Malware protection enabled, based on Enterprise Traffic Mix. 6. CAPWAP performance is based on 1444 byte UDP packets.

www.fortinet.com

^{*} Maximum loading on each PoE/+ port is 30 W (802.3at).

ORDER INFORMATION

Product	SKU	Description
FortiGate 80E	FG-80E	14x GE RJ45 ports (including 1x DMZ port, 1x Mgmt port, 1x HA port, 12x switch ports), 2x Shared Media pairs (including 2x GE RJ45 ports, 2x SFP slots). Maximum managed FortiAPs (Total/Tunnel) 32/16.
FortiGate 80E-PoE	FG-80E-POE	16x GE RJ45 ports (including 2x WAN ports, 1x DMZ port, 1x HA port, 12x PoE ports). Maximum managed FortiAPs (Total/Tunnel) 32/16.
FortiGate 81E	FG-81E	14x GE RJ45 ports (including 1x DMZ port, 1x Mgmt port, 1x HA port, 12 x switch ports), 2x Shared Media pairs (including 2x GE RJ45 ports, 2x SFP slots). 128 GB onboard storage. Maximum managed FortiAPs (Total/Tunnel) 32/16.
FortiGate 81E-PoE	FG-81E-P0E	16x GE RJ45 ports (including 2x WAN ports, 1x DMZ port, 1x HA port, 12x PoE ports). 128 GB onboard storage. Maximum managed FortiAPs (Total/Tunnel) 32/16.



GLOBAL HEADQUARTERS Fortinet Inc. 899 KIFER ROAD Sunnyvale, CA 94086 United States Tel: +1.408.235.7700 www.fortinet.com/sales

EMEA SALES OFFICE 905 rue Albert Einstein 06560 Valbonne France Tel: +33.4.8987.0500

APAC SALES OFFICE 300 Beach Road 20-01 The Concourse Singapore 199555 Tel: +65.6395.2788

LATIN AMERICA SALES OFFICE Sawgrass Lakes Center 13450 W. Sunrise Blvd., Suite 430 Sunrise, FL 33323 United States Tel: +1.954.368.9990

Copyright© 2017 Forfinet, Inc. All rights reserved. Forficate®, Forficate®, Forficate® and Forficare® and Forfi