

# FortiGate/FortiWiFi® 50E Series

FortiGate 50E, FortiWiFi 50E/-2R, FortiGate/FortiWiFi 51E and FortiGate 52E

Enterprise Branch Secure SD-WAN Unified Threat Management



The FortiGate 50E series offers an excellent network security solution in a compact fanless desktop form factor for enterprise branch offices and mid-sized businesses. Protect against cyber threats with industry-leading secure SD-WAN in a simple, affordable and easy to deploy solution.

#### Security

- Protects against known exploits, malware and malicious websites using continuous threat intelligence provided by FortiGuard Labs security services
- Detects unknown attacks using dynamic analysis and provides automated mitigation to stop targeted attacks

#### Performance

- Delivers industry's best threat protection performance and ultra-low latency using purpose-built security processor (SPU) technology
- Provides industry-leading performance and protection for SSL encrypted traffic

#### Certification

- Independently tested and validated best security effectiveness and performance
- Received unparalleled third-party certifications from NSS Labs, ICSA, Virus Bulletin and AV Comparatives

#### Networking

- Delivers an extensive routing, switching, wireless controller and high performance IPsec VPN capabilities to consolidate networking and security functionality
- Enables flexible deployment such as UTM and Secure SD-WAN

#### Management

- Single Pane of Glass with Network Operations Center (NOC) view provides 360° visibility to identify issues quickly and intuitively
- Predefined compliance checklist analyzes the deployment and highlights best practices to improve overall security posture

#### **Security Fabric**

 Enables Fortinet and Fabric-ready partners' products to collaboratively integrate and provide end-to-end security across the entire attack surface



Firewall	IPS	NGFW	Threat Protection	Interfaces
2.5 Gbps	350 Mbps	220 Mbps	160 Mbps	Multiple GE RJ45   WiFi Variants   Variants with dual radios   Variants with internal storage

Refer to specification table for details

# DEPLOYMENT




### Unified Threat Management (UTM)


- Consolidated security and networking for small businesses
- Consistently top-rated protection to stop threats
- Integrated wired and wireless networking to simplify IT
- Purpose-built hardware for industry best performance
- Cloud management for easy administration



- Secure direct internet access for Cloud Applications for improved latency and reduce WAN cost spending
- Effective, cost-efficient and high performance threat prevention capabilities
- WAN Path Controller and Link Health Monitoring for better application performance
- Security Processor powered industry's best IPsec VPN and SSL Inspection performance
- Centralized Management and Zero Touch deployment




FortiWiFi 50E deployment in small office (UTM)




FortiGate 50E deployment in branch office (Secure SD-WAN)

## HARDWARE

### FortiGate 50/51/52E



### FortiWiFi 50E/-2R and 51E



#### Interfaces

- 1. USB Port
- 2. Console RJ45
- 3. 2x GE RJ45 WAN Ports
- 4. 5x GE RJ45 Switch Ports

#### Interfaces

- 1. USB Port
- 2. Console RJ45
- 3. 2x GE RJ45 WAN Ports
- 4. 5x GE RJ45 Switch Ports

### Install in Minutes with FortiExplorer

The FortiExplorer wizard enables easy setup and configuration coupled with easy-to-follow instructions. FortiExplorer runs on popular mobile devices like Android and iOS. Using FortiExplorer is as simple as starting the application and connecting to the appropriate USB port on the FortiGate. By using FortiExplorer, you can be up and running and protected in minutes.

#### Wireless and 3G/4G WAN Extensions

The FortiGate supports external 3G/4G modems that allow additional or redundant WAN connectivity for maximum reliability. The FortiGate can also operate as a wireless access point controller to further extend wireless capabilities.

#### **Compact and Reliable Form Factor**

Designed for small environments, you can simply place the FortiGate/FortiWiFi 50E series on a desktop. It is small, lightweight yet highly reliable with superior MTBF (Mean Time Between Failure), minimizing the chance of a network disruption.

#### **Superior Wireless Coverage**

A built-in dual-band, dual-stream access point on the FortiWiFi 50E-2R provides speedy 802.11ac coverage on both 2.4 GHz and 5 GHz bands. The dual-band chipset addresses the PCI-DSS compliance requirement for rogue AP wireless scanning.

# FORTINET SECURITY FABRIC


### **Security Fabric**

The Security Fabric allows security to dynamically expand and adapt as more and more workloads and data are added. Security seamlessly follows and protects data, users, and applications as they move between IoT, devices, and cloud environments throughout the network.

FortiGates are the foundation of Security Fabric, expanding security via visibility and control by tightly integrating with other Fortinet security products and Fabric-Ready Partner solutions.

# **FortiOS**

Control all the security and networking capabilities across the entire FortiGate platform with one intuitive operating system. Reduce operating expenses and save time with a truly consolidated nextgeneration security platform.





- A truly consolidated platform with one OS for all security and networking services for all FortiGate platforms.
- Industry-leading protection: NSS Labs Recommended, VB100, AV Comparatives, and ICSA validated security and performance.
- Control thousands of applications, block the latest exploits, and filter web traffic based on millions of real-time URL ratings.
- Prevent, detect, and mitigate advanced attacks automatically in minutes with integrated advanced threat protection.
- Fulfill your networking needs with extensive routing, switching, and SD-WAN capabilities.
- Ultilize SPU hardware acceleration to boost security capability performance.

For more information, please refer to the FortiOS data sheet available at www.fortinet.com

# SERVICES



### FortiGuard<sup>™</sup> Security Services

FortiGuard Labs offers real-time intelligence on the threat landscape, delivering comprehensive security updates across the full range of Fortinet's solutions. Comprised of security threat researchers, engineers, and forensic specialists, the team collaborates with the world's leading threat monitoring organizations and other network and security vendors, as well as law enforcement agencies.



## FortiCare<sup>™</sup> Support Services

Our FortiCare customer support team provides global technical support for all Fortinet products. With support staff in the Americas, Europe, Middle East, and Asia, FortiCare offers services to meet the needs of enterprises of all sizes.



For more information, please refer to forti.net/fortiguard and forti.net/forticare

# **SPECIFICATIONS**

	FG-50E	FWF-50E	FWF-50E-2R	FG-51E	FWF-51E	FG-52E	
Hardware Specifications							
GE RJ45 Switch Ports			5				
GE RJ45 WAN Ports			2				
USB Ports			1				
Console (RJ45)			1				
Wireless Interface	—	802.11 a/b/g/n	dual radio, 802.11a/b/g/n/ac	—	802.11 a/b/g/n	—	
Internal Storage	—	—	—	32 GB	32 GB	2x 32 GB	
System Performance							
Firewall Throughput			2.5 G	ops			
Firewall Latency (64 byte UDP packets)			180	μs			
Firewall Throughput (Packets Per Second)			375 K	pps			
Concurrent Sessions (TCP)			1.8 Mi	llion			
New Sessions/Second (TCP)			21,0	00			
Firewall Policies			5,00				
IPsec VPN Throughput (512 byte) 1			90 Mi	ops			
Gateway-to-Gateway IPsec VPN Tunnels			200	)			
Client-to-Gateway IPsec VPN Tunnels			250	)			
SSL-VPN Throughput			100 M				
Concurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)			80				
SSL Inspection Throughput (IPS, HTTP) <sup>3</sup>							
Application Control Throughput (HTTP 64K) <sup>2</sup>			450 M	bps			
CAPWAP Throughput (1444 byte, UDP)			1.9 G	ops			
Virtual Domains (Default / Maximum)			5/	ō			
Maximum Number of Switches Supported			8				
Maximum Number of FortiAPs (Total / Tunnel Mode)			10 /	5			
Maximum Number of FortiTokens			100	)			
Maximum Number of Registered FortiClients			200	)			
High Availability Configurations		Active/Active, Active/Passive, Clustering					
System Performance — Optimal Traffic Mix							
IPS Throughput <sup>2</sup>			800 M	bps			
System Performance — Enterprise Traffic Mix							
IPS Throughput <sup>2</sup>	350 Mbps						
NGFW Throughput <sup>2,4</sup>	220 Mbps						
Threat Protection Throughput <sup>2,5</sup>			160 M	bps			
Dimensions							
Height x Width x Length (inches)	1.44 x 8.52 x 5.5						
Height x Width x Length (mm)			36.5 x 21				
Weight	2.015 lbs (0.914 kg)	2.041 lbs (0.926 kg)	2.38 lbs (1.08 kg)	2.04 lbs (0.925 kg)	2.04 lbs (0.925 kg)	2.04 lbs (0.925 kg)	
Form Factor			Deskt				

Note: All performance values are "up to" and vary depending on system configuration.

1. IPsec VPN performance test uses AES256-SHA256.

2. IPS (Enterprise Mix), Application Control, NGFW and Threat Protection are measured with Logging enabled.

3. SSL Inspection performance test uses TLS v1.2 with AES128-SHA256.

 NGFW performance is measured with Firewall, IPS and Application Control enabled.
Threat Protection performance is measured with Firewall, IPS, Application Control and Malware Protection enabled.

F#RTINET.

# SPECIFICATIONS

	FG-50E	FWF-50E	FWF-50E-2R	FG-51E	FWF-51E	FG-52E	
Operating Environment and Certifications							
Power Required			0–240V AC, 60–50 Hz (E				
Maximum Current		1	00 V / 0.6 A, 240 V / 0.4	A		110 V / 0.32 A, 220 V / 0.57 A	
Power Consumption (Average / Maximum)	15/18W	18/22W	22.1 / 26.5 W	16/20W	19/23W	22.5 / 27 W	
Heat Dissipation	62 BTU/h	75 BTU/h	90 BTU/h	67 BTU/h	79 BTU/h	92 BTU/h	
Operating Temperature	32–104°F (0–40°C)						
Storage Temperature		-31–158°F (-35–70°C)					
Humidity	10–90% non-condensing						
Noise Level			Fanless (	) dBA			
Operating Altitude			Up to 7,400 ft	(2,250 m)			
Regulatory Compliance	atory Compliance FCC Part 15 Class B, C-Tick, VCCI, CE, UL/cUL, CB						
Certifications ICSA Labs: Firewall, IPsec, IPS, Antivirus, SSL-VPN							

# **ORDER INFORMATION**

Product	SKU	Description
FortiGate 50E	FG-50E	7x GE RJ45 ports (including 2x WAN ports, 5x Switch ports), maximum managed FortiAPs (Total / Tunnel) 10 / 5.
FortiWiFi 50E	FWF-50E	7x GE RJ45 ports (including 2x WAN ports, 5x Switch ports), Wireless (802.11a/b/g/n), maximum managed FortiAPs (Total / Tunnel) 10 / 5.
FortiWiFi 50E-2R	FWF-50E-2R	7x GE RJ45 ports (including 2x WAN ports, 5x Switch ports), dual radio wireless (802.11a/b/g/n/ac), maximum managed FortiAPs (Total / Tunnel) 10 / 5.
FortiGate 51E	FG-51E	7x GE RJ45 ports (including 2x WAN ports, 5x Switch ports), 32 GB SSD onboard storage, maximum managed FortiAPs (Total / Tunnel) 10 / 5.
FortiWiFi 51E	FWF-51E	7x GE RJ45 ports (including 2x WAN ports, 5x Switch ports), Wireless (802.11a/b/g/n), 32 GB SSD onboard storage, maximum managed FortiAPs (Total / Tunnel) 10 / 5.
FortiGate 52E	FG-52E	7x GE RJ45 ports (including 2x WAN ports, 5x Switch ports), 2x 32 GB SSD onboard storage, maximum managed FortiAPs (Total / Tunnel) 10 / 5.
<b>Optional Accessory</b>		
Rack Mount Tray	SP-RACKTRAY-01	Rack mount tray for FG-30D, FG-40C, FG-50/51E, FG-60C, FG-60D/-POE, FG-70D, FG-80D, FG-90D/-POE, FAD-100E, FRC-100D, FWB-100D, FML-60D, FVE-100E.



#### **Enterprise Bundle**

FortiGuard Labs delivers a number of security intelligence services to augment the FortiGate firewall platform. You can easily optimize the protection capabilities of your FortiGate with the FortiGuard Enterprise Bundle. This bundle contains the full set of FortiGuard security services plus FortiCare service and support offering the most flexibility and broadest range of protection all in one package.



GLOBAL HEADQUARTERS Fortinet Inc. 899 KIFER ROAD Sunnyvale, CA 94086 United States Tel: +1.408.235.7700 www.fortinet.com/sales

EMEA SALES OFFICE 905 rue Albert Einstein 06560 Valbonne France Tel: +33.4.8987.0500

APAC SALES OFFICE 300 Beach Road 20-01 The Concourse Singapore 199555 Tel: +65.6395.2788

LATIN AMERICA SALES OFFICE Sawgrass Lakes Center 13450 W. Sunrise Blvd., Suite 430 Sunrise, FL 33323 United States Tel: +1.954.368.9990

Copyright© 2017 Forthert, Inc. All rights reserved. Fortilext®, Fortilext®, Fortilext®, Fortilext®, and Forti@ard®, and certain other marks are registered trademarks of Fortinet, Inc., in the U.S. and other jurisdictions, and other Fortinet names herein may also be registered and/or common law trademarks of Fortinet. All other product or company names may be trademarks of their respective owners. Performance and other metrics contained herein were attained in internal lab tests under lideal conditions, and actual performance and other results may vary. Network variables, different network environments and other conditions may affect performance results. Noting herein represents any binding commitment by Fortinet, and Fortinet disclaims all warrantes, seeress vice milled, except to the extent Fortinet teres a binding written contract, signed by Fortinet's General Coursel, with performance metrics and, in such event, whether express vice milled is binding on fortinet. For about clarit, any vary warrant y but be independent on the series bear of coursel, with a serie deal conditions as in Fortinet's internal lab tests. In one event does Fortinet make any commitment related to future development, and circumstances may change such that any forward-looking statements herein are not accurate. Fortinet disclaims in full any covenants, representations, and quarantees persuant here the expressive of milled. Fortinet respressive deminifered to future development, and quarantees pursuant here expressive deminifered to future development, and circumstances may change such that any forward-looking statements herein are not accurate. Fortinet disclaims in full any covenants, representations, and quarantees persuant here the expressive deminifered to future development, and quarantees persuant here expressive deminifered and/or contingent performance metrics. Second the respressive deminifered and/or contingent performance metrics and pursuants and there contains any advartees persuant herein the expressive deminifered and/or